

Tuesday, April 21, 2015 2:04:43 PM

131789

Page 1

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 4/20/15 **Start Qty:** 4.00

4

Cust Item ID:

Required Date: 4/20/15 **Req'd Qty:** 4.00

4

Customer:

Run Start *NR1*

Approvals: **Process Plan:** CS

Date: 15/04/22 **Tooling:**

Date: _____

QC: _____

Date: _____ **SPC (Y/N):** _____

Date: _____

Stop *NR2*

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Tuesday, April 21, 2015 2:04:43 PM

Page 2

4 φ 15-6-18 **DAS** **34** **9-89**

34-889

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
Root Cause				FAULT CATEGORY																					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐															
OTHER : ☐																									

Work Order ID 131789

Tuesday, April 21, 2015 2:04:43 PM

131789

Page 3

Item ID: D3179-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Litter Tie Down (Non-Locking)
 Start Date: 4/20/15 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 4/20/15 Req'd Qty: 4.00 ***4*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum <i>M 131545</i> Memo START TIME: <i>10:00</i> OVEN TEMPERATURE: <i>320</i> FINISH TIME: <i>10:30</i>	0.00 0.00				<i>4</i>	<i>0</i>	<i>15-6-18</i>	<i>23 34 989</i>
170 *170* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00			DAS 30 9-89	<i>4</i>			<i>JUN 18 2015</i>
180 *180* Small Fab Small Fab	Small Fab Memo Assemble as per Dwg D3179	0.00 0.01			DAS 30 9-89	<i>4</i>			<i>JUN 18 2015</i>

Open holes #D .246
15.06.18

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Uncler ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 131789

131789

Page 4

Tuesday, April 21, 2015 2:04:43 PM

Item ID: D3179-041 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Litter Tie Down (Non-Locking)
 Start Date: 4/20/15 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 4/20/15 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC5- Inspect part completeness to step on W/O	0.00							38 9-89
190						(4)			
QC	Memo	0.00							
Quality Control									JUN 18 2015
200	Identify as per dwg & Stock Location: <u>ST 225</u>	0.00							
200									
Packaging	Memo	0.00							
Packaging									JUN 20 2015
210	QC21- Final Inspection - Work Order Release	0.00							
210									
QC	Memo	0.01							
Quality Control									JUN 22 2015
						ML5			
									JUN 22 2015
						ML5			

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Picklist Print

Tuesday, April 21, 2015 2:04:42 PM

Page 1

2

Work Order ID: 131789

131789

Parent Item: D3179-041

D3179-041

Parent Item Name: Litter Tie Down (Non-Locking)

Start Date: 4/20/15

Required Date: 4/20/15

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP A1 03.01.09 Added Acid etch end alodine RF
IPP Rev:B Added Powder Coat 07-07-04 JLM
AS PER REV D JLM 13-05-24 VERIFIED BY:DD
IPP Rev:C 08-12-10 add part list DD verified by:JLM

IPP REV:C

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2372		Manufactured	No			180	Each	2.0000	2	8		DAS 30 9-89	JUN 18 2015

D2372

Quick Release

**

Location

Loc Qty

Loc Code

GA

2

B 131964

8

130573

2

D2444

Manufactured No

180

Each

9.0000

1

4

DAS
30
9-89

JUN 18 2015

D2444

Pip Pin Assembly

**

Location

Loc Qty

Loc Code

GA

9

131081

9

4

D6201

Manufactured No

180

f

0.0000

1.0125

5

**

D6201

"T" Extrusion

Location

Loc Qty

Loc Code

MAT028

0.0000001

124165

0.0000001

DAS
44
9-89

15/06/12.

133208

→ 4.08'

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, April 21, 2015 2:04:43 PM

Work Order ID: 131789

131789

Parent Item: D3179-041

D3179-041

Parent Item Name: Litter Tie Down (Non-Locking)

Start Date: 4/20/15

Required Date: 4/20/15

Start Qty: 4.00

Required Qty: 4.00

MS21042L3

Purchased

No

180

Each

1,448.000

1

4

MS21042L3

DAS
30
9-89

JUN 18 2015

Nut

Location

Loc Qty

Loc Code

FP001

420

M130922

420

GA

685

M131317

685

ST305

343

116549

12

126333

49

M128754

2

M131624

280

MS27039-1-13

Purchased

No

180

Each

735.0000

1

4

MS27039-1-13

DAS
30
9-89

JUN 18 2015

Screw

Location

Loc Qty

Loc Code

GA

114

124326

114

ST273A

300

124326

300

ST285

321

125654

321

NAS1149D0332J

Purchased

No

100

Each

1,339.000

3

12

NAS1149D0332J

DAS
30
9-89

JUN 18 2015

Washer

Location

Loc Qty

Loc Code

CA

14

m129682

14

ST269

1325

m130325

879

m131624

446

Tuesday, April 21, 2015 2:04:43 PM

Shop Packet Print

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

DART AEROSPACE LTD		Work Order: 131789
Description: Fwd Litter Tie Down Bracket		Part Number: D3179-1
Inspection Dwg: D3179	Rev: D	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1.00	+/-0.030	.998	✓		SLO8	VERN
Ø0.242	+0.005/-0.001	.243	✓		Gauge Pin	
R0.40	+/-0.030	.400	✓		Rad gauge	
0.375	+/-0.010	.377	✓		SLO8	
Ø0.191	+0.005/-0.001	.192	✓		Gauge Pin	
1.00	+/-0.030	.998	✓		SLO8	
1.70	+/-0.030	1.697	✓		Height gauge	
4.00	+/-0.030	3.995	✓		SLO8	
1.50	+/-0.030	1.498	✓		"	
0.750	+/-0.010	.7445	✓		"	
1.50	+/-0.030	1.498	✓		"	
10.500	+/-0.010	10.500	✓		CNC-02	12" vern
4.250	+/-0.010	4.250	✓		SLO8	
0.750	+/-0.010	.748	✓		"	
1.000	+/-0.010	1.000	✓		"	
12.00	+/-0.030	12.000	✓		CNC-02	
1.00	+/-0.030	1.000	✓		SLO8	
8.00	+/-0.030	8.000	✓		CNC-02	
Ø0.191	+0.005/-0.001	.192	✓		Gauge Pin	
R0.37	+/-0.030	.370	✓		Rad gauge	
1.875	+/-0.010	1.878	✓		Height gauge	
0.375	+/-0.010	.377	✓		SLO8	
2.125	+/-0.010	2.128	✓		Height gauge	
1.250	+/-0.010	1.250	✓		SLO8	
1.00	+/-0.030	1.000	✓		"	
3.31	+/-0.030	3.323	✓		Height gauge	
	DAS					

Measured by: 20 9-88	Audited by: H.A. DAS 08 9-89	Preliminary Approval:
Date: 15-06-14	Date: 15/06/15	Date:


Rev	Date	Change	Revised by	Approved
A	09.04.05	New Issue P/O D3179-041	KJ/DD	
B	12.10.04	Dimension 0.750 was 1.750	KJ	
C	13.05.27	Dimensions revised per Dwg Rev D	KJ	

8 7 6 5 4 3 2 1

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3179-041	LITTER TIE DOWN BRACKET
1	2	D2372	QUICK RELEASE
2	1	D2444	PIP PIN
3	1	D3179-1	LITTER TIE DOWN BRACKET
4	1	MS21042L3	NUT
5	1	MS27039-1-13	SCREW
6	3	NAS1149D0332J	WASHER (AN960JD10L)

D2444 PIP PIN

MS27039-1-13 SCREW
NAS1149D0332J WASHER 3PL
MS21042L3 NUT



D2372 QUICK
RELEASE
2 PL

D3179-1 LITTER TIE DOWN BRACKET

D3179-041 LITTER TIE DOWN BRACKET

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3179-041" ON BOTTOM FACE USING FINE POINT PERMANENT INK MARKER AS PER QSI 044 METHOD 6.1
- 7) WEIGHT: 2.79 lbs

CL15/04/22
W10:131789

RELEASED
2013-05-16

D	POSITION AND SHAPE OF LITTER CAPTURE SLOTS CHANGED (ZN B4-2, B8-2, C7-2), ADD ENGRAVING NOTE (ZN C4-2), REF CIR13-15	DB	13.03.22
C	ADD D3179-041 & PART'S LIST (ZN B4-1, D2-1); D3179-1 WAS D3179 (ZN A5-2); REMOVE ENGRAVE P/N	RF	08.11.07
B	REFORMAT DRAWING, FINISH WAS ANODIZE	DC	07.06.08
A	NEW ISSUE	RF	02.12.09
REV.	DESCRIPTION	BY	DATE
DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DB		
CHECKED	A.P.	DRAWING NO.	REV. D
MFG. APPR.	al	D3179	SHEET 1 OF 2
APPROVED	100	TITLE	SCALE
DE APPR.	11	LITTER TIE DOWN BRACKET	NTS
DATE	13.03.22	COPYRIGHT © 1995 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

